



Elétrico e eletrônicos

De medidores, plugues, sistemas hidráulicos e comutadores a sistemas de câmeras de alarme e retrovisores, a ampla gama de peças especializadas é suportada pelo RCT para melhorar a eficiência do trabalho.



Sistemas de proteção

Anexado ao seu equipamento, o Muirhead® evita de forma confiável falhas prematuras e avarias inesperadas, resultando em operações de mineração lucrativas.



Automação & controle

Ao lhe dar controle total de seu equipamento móvel, o ControlMaster® ajuda a impulsionar a produtividade com aumento de lucros além dos níveis existentes..



Gestão de frota

EarthTrack® and SmarTrack® smart technologies are designed to give you more control over your equipment fleet to ensure it's always operating at peak performance.



A Vantagem da Tecnologia Inteligente



APN: 10436
CM1000 TX
HANDHELD
TRANSMITTER 6



APN: 10142
CHARGER TO SUIT
10436 AND 10143



APN: 10143
CM1000 TX
HANDHELD
TRANSMITTER 12



APN: 11739
ATX1000
Transmitter to suit
Loader



RCT
Head Office
Unit 1-5/511 Abernethy Rd
Kewdale WA 6105, Australia
sales@rct-global.com

Australia +61 8 9353 6577
Africa +27 83 292 4246
Canada +1 705 590 4001
Central Asia +7 910 411 1174
USA +1 801 938 9214
South America +56 3 5229 9409

APN: 14220
BALL CAMERA
IP69K HEAVY DUTY

APN: 11846
COLOUR CAMERA
INFRA-RED 110°

APN: 11858
COLOUR CAMERA
IP69K CCD HAD II
(SMALL)

APN: 9391
5" - 1 COLOUR
CAMERA REAR
VIEW KIT LIGHT

APN: 6450
EXTENSION LOOM
7M TO SUIT 6403 /
11858 CAMERA

APN: 11857
COLOUR CAMERA
IP69 CCD HAD II

APN: 7811
FUEL CAP
ISOLATION SYSTEM

APN: 7808
FUEL CAP
ISOLATION
CONTROLLER TO

APN: 7809
REPLACEMENT
FUEL CAP TO SUIT
7811

APN: 8972
LIVE FUEL SERVICE
LOCKOUT
CONTROLLER

APN: 11450
ENERGISED TO
RUN IDLE TIMER
MULTI VOLTAGE

APN: 9252
CONTROL LUBE
PROGRAMMABLE



RCT
Head Office
Unit 1-5/511 Abernethy Rd
Kewdale WA 6105, Australia
sales@rct-global.com

Australia +61 8 9353 6577
Africa +27 83 292 4246
Canada +1 705 590 4001
Central Asia +7 910 411 1174
USA +1 801 938 9214
South America +56 3 5229 9409

Copyright © 2023 Remote Control Technologies Pty Ltd. Images for illustration purposes only. Discover more @ rct-global.com

APN: 11575
30 WATT SQUARE
LED WORK LAMP

APN: 11576
48 WATT SQUARE
LED WORK LAMP

APN: 11514
LED WORK LAMP 9
- 52V 10 WATT 4 x
2.5 WATT LED

APN: 10051
LED WORKLAMP
N22 12/24V 24W



APN: 7081
LED WORKLAMP
N26 SERIES 10-
80V 17W

APN: 9339
WORK LAMP
HALOGEN FLOOD
BEAM HELLA #



RCT
Head Office
Unit 1-5/511 Abernethy Rd
Kewdale WA 6105, Australia
sales@rct-global.com

Australia +61 8 9353 6577
Africa +27 83 292 4246
Canada +1 705 590 4001
Central Asia +7 910 411 1174
USA +1 801 938 9214
South America +56 3 5229 9409

Copyright © 2023 Remote Control Technologies Pty Ltd. Images for illustration purposes only. Discover more @ rct-global.com

Melhor visão. Melhor Operação.

Compact Ball Camera da RCT agora disponível

Specifically designed to withstand the harshest of conditions while providing the highest quality vision for machine control and automation. The camera features the latest Sony CMOS technology housed in a rugged, IP69K, die-cast assembly, making the camera one of the leading vision components available.

Compacta em design e leve, a câmera reduz a quantidade de espaço de máquina necessária para montagem, ao mesmo tempo em que fornece imagens nítidas.

Especificações

- Ângulos de visão: 82 (H) / 61 (V) / 104 (D)
- Total de pixels: 1297 (H) x 977 (V) 1,27 M pixels
- Iluminação mínima: 0,1 Lux (F = 2,0)
- Resolução: 1000 linhas de TV
- Tensão de entrada: 12 / 24VDC
- Faixa de temperatura de operação: -30 ° C a 70 ° C
- Faixa de temperatura de armazenamento: -20 ° C a 60 ° C
- Dimensões: 70 (A) x 53 (Diâmetro) mm (com suporte)
- Peso: 120g (sem suporte)

Um suporte de adaptador é incluído para parafusar diretamente no lugar da Câmera Reforçada (Peça n.º. 11586).

APN: 14220

BALL CAMERA IP69K HEAVY DUTY

Documentos



RCT
Head Office
Unit 1-5/511 Abernethy Rd
Kewdale WA 6105, Australia
sales@rct-global.com

Australia +61 8 9353 6577
Africa +27 83 292 4246
Canada +1 705 590 4001
Central Asia +7 910 411 1174
USA +1 801 938 9214
South America +56 3 5229 9409